

Development of WTC Dust and Fire Screening Methods

Jacky Rosati, PhD
National Homeland Security Research Center
Office of Research and Development
US Environmental Protection Agency
Research Triangle Park, NC

WTC Collapse Dust Screening Method

- Primary focus on slag wool and other collapse components.
- If components are not present, WTC dust is not present.
- Method has been successfully applied to a small number of known WTC and background dusts. Validation will involve applying method to additional background and diluted WTC dusts.

WTC Fire Screening Method

- Focuses on mass fraction and ratio of 9 Poly Aromatic Hydrocarbons (PAHs).
- Method would allow us to determine locations not affected by WTC fires.
- Method has been successfully applied to a small number of known WTC and background dusts. Validation will involve application to additional background and diluted WTC dusts.

Steps to Validation

- 1. Sample Collection** - collect multiple dust samples from WTC and background locations.

Sample Collection

- Have collected samples of known WTC dusts from two locations.
- Currently collecting samples from background areas throughout the greater NY City area.

Steps to Validation

- 1. Sample Collection** - collect multiple, dust samples from WTC and background locations.
- 2. Background Confirmation** - confirm composition of background samples.

Background Confirmation

- Will have background samples analyzed for WTC screening components i.e. slag wool, PAHs, etc.
- Confirm that these components are not present at levels that would prevent use of screening methods.

Steps to Validation

- 1. Sample Collection** - collect multiple dust samples from WTC and background locations.
- 2. Background Confirmation** - confirm composition of background samples.
- 3. WTC Dust Dilution** – spike confirmed background dust with three levels of WTC dust.

WTC Dust Dilution

- Confirmed background dust will be spiked at three different levels with WTC dust.
- Spiking will help determine sensitivity of screening method.

Steps to Validation

- 1. Sample Collection** - collect multiple dust samples from WTC and background locations.
- 2. Background Confirmation** - confirm composition of background samples.
- 3. WTC Dust Dilution** – spike confirmed background dust with three levels of WTC dust.
- 4. Validation** - send all samples (spiked and background) to commercial laboratories for classification as background or non-background.

Validation

- All spiked and confirmed background samples will be sent to multiple independent laboratories for method validation.
- Laboratories will all use a standard method to determine validity.

Timeframe

- All samples expected to be collected by March 1st.
- Background samples prepped and distributed to labs for confirmation by March 15th.
- If background samples confirmed, WTC spikes and background samples distributed to commercial labs for validation by April 15th.
- Final results/validation expected by May 31st.